

**WOODWORKING AUCTION** **MASTERCRAFT** JAN 27<sup>TH</sup> CARBONDALE, PA


**AUCTION INSPECTION MASTERCRAFT:**  
**Monday, January 26<sup>TH</sup> 9<sup>AM</sup> - 3<sup>PM</sup>**  
**TENONERS:** 1999 SCMI 10' Dbl. Sided Tenoner, #Concept 2000, PLC Opening, 1st. Station Jump Scorer/Trim Saw, 1.8 Hp., and Hogger, 6.6 Hp., 2nd. Station Tenoning Heading, 6.6 Hp., 3rd. Station Auto. Jump High Speed Cope Head, 12 Hp., 4th. Station High Speed Cope Head, 12 Hp., 5th. Station Two Speed Spindle Sander, 2.4/3.6 Hp., 840/1,700 RPM, Sound Enclosure, S/N AA110738 • **8' Meeeen Johnson** #840, Dbl. Sided Tenoner, 1st. Hd. Jump Score, 2 Hp., 2nd. Hd. Trim Saw, 10 Hp., 3rd. Hd. and 4th. Hds. Top and Bottom Tenoning Heads, 3 Hp. Each, 5th. Hd. Top Tenoning, 5 Hp., 6th. Hd. Jump Cope, 10 Hp., Jump Dado, Digital Readout, 60" Infeed, 5 Hp. Variable Speed Drive, S/N MJ 4128 • **(3) 6' Challoner** Dbl. Sided Tenoner, #C527-T, 1st. Hd. Trim Saw, 2nd. Hd. Top and Bottom Tenoning Hds., 3rd. Hd. Tilting Cope, Jump Dado, S/N 412700, S/N 405540, S/N 405550 **SANDERS:** 1994 43" Timesaver Dbl Hd. Top Sanding Machine, #243-41 CBT, 24" Infeed Table, Air Tracking, 1st. Hd. Contact Roll, 30 Hp., 2nd. Hd. Comb. Hd. 20 Hp., Belt Tension, Conveyor Belt Tracking, Load Meter, Readout, 208/230/460 Volt, Complete Hyd. Feed For This Top and Bottom Sanding Line, S/N 23708, **43" Timesaver** Dbl. Hd. Bottom Sanding Machine, 1st. Hd. Contact, 30 Hp., 2nd. Hd. Comb. 25 Hp., Digital Readout, Air Tracking, Belt Tension, Conveyor Belt Tracking, Infeed 43", 76" Conveyor Table, 230/460 Volt, 3 Phase • **37" Timesaver** Dbl. Hd. Veneer Sander, #237-2, 24" Infeed Tbl., 1st. Hd. Contact, 30 Hp., 2nd. Head Comb. Hd., 20 Hp., w/Platen, Relieving Bed, Platen Timers, Air Tracking, Load Meters, 230/460 Volt, 3 Phase, S/N 17586 • **37" Timesaver** Sngl. Hd. Abrasive Top Planer, #337-HD, 29" Infeed Table, Air Tracking, Load Meters, Readouts, 100 Hp., 230/460 Volt, 3 Phase, S/N 10347, **37" Timesaver** Sngl Hd. Abrasive Bottom Planer, Air Tracking, 100 Hp., 230/460 Volt 3 Phase, Load Meter • **Abrasive** #WBC-60, Wide Belt Cleaning Machine  
**MOULDERS:** 1998 Weinig 6 Hd. #Unimat U23, 9" x 5", 1st. Hd. Bottom 10 Hp., 2nd. Hd. Right Side, 3rd. Hd. Left Side, Total Hp., 15 Hp., 4th. Hd. Top 15 Hp., 5th. Hd. Top 15 Hp., 6th. Hd. Bottom 10 Hp., All Spindles 1 1/2", 8" Infeed Tbl., Hyd. #M11 Hopper Feed, Sound Enclosure, Readouts, Grooved Bed, Set Up To Do Short Pieces, S/N 023-3438 • **1998 Weinig** #934 Profile Grinder, S/N 84240 • **1994 Weinig** 6 Hd. #Profimat 23, 9" x 5", 1st. Hd. Bottom 10 Hp., 2nd. Hd. Right Side, 3rd. Hd. Left Side, Total Hp., 15 Hp., 4th. Hd. Top 15 Hp., 5th. Hd. Top 15 Hp., 6th. Hd. Bottom 10 Hp., All Spindles 1 1/2", 77" Infeed Table, Hyd. #M11 Hopper Feed, Sound Enclosure, Readouts, Grooved Bed, Set Up To Do Short Pieces, S/N 711-285 • **1994 Weinig** #925 Profile Grinder, S/N 925-581 • **6" Diehl** Push Feed Five Hd. Moulder, 1st. Hd Bottom 15 Hp., 2nd. Hd. Top 15 Hp., 3rd. Hd. Left Side, 4th. Hd. Right Side, 5th. Hd. Bottom, 15 Hp., Variable Speed, w/Joining Attachments, S/N 78M40553425 • **16" Woods** Five Hd. Moulder, #134-BM, S/N 53172, 1st. Hd. Top, 2 1/8" Spindle, 20 Hp., 2nd. Hd., Left, 1 13/16" Spindle, 7 1/2 Hp., 3rd. Hd. Right, 1 13/16" Spindle, 7 1/2 Hp., 4th. Hd. Top, 2 1/8" Spindle, 15 Hp., 5th. Hd. Bottom 2 1/8" Spindle, 15 Hp. w/Joining Attachments • **Stetson** Ross 6" x 2" Push Feed Moulder, # 628XL, 1St. Hd. Top, 2nd. Hd. Left Side, 3rd. Hd. Right, 4th. Hd. Bottom **ROUTERS:** 1996 Komo, #VR-108, CNC Router, Table Size 48" x 96", 8 ATC, Vac.

Bed, GE Fanuc Series O-M Control, S/N 1812696, Quincy Ind. Vac. Pump, 25 Hp., #QSVB25ANN2D, 230/460 Volt, 3 Phase, S/N 99967 • **1987 Shoda** Four Head CNC Router, Model NC516.1016, Table Size 39" x 62", Vac. Bed, 11M Fanuc Control, Hi-Freq Spindles, 8.5 KW Hds., Hitachi Transistor Invertors, 5.5 KW Vac. Pump, S/N 87360136" • **36" Onsrud** Over Head Router, Model 1136, S/N 787324-01 • **24" Ekstrom** Carlson Over Head Pin Router, Model 327, S/N 7044  
**DUST COLLECTORS & RELATED EQUIP.:**  
**(3) Torit Donaldson** #RF 484 Bag House, 60,000 CFM ECF, Central Dust Collectors, 250 Hp., Grecon Eight Zone Spark Detection, PLC Programmable Logic Control, Each Filter Has Abort Grate and Summer/Winter Damper Grecon Fire Protective System & PLC Programmable Logic Control • **Schutte** #40HZE, Hammer Hog, 100 Hp., 220/440 Volt, 3 Phase, Benschaw Solid State Motor Control, S/N 243HD • **Saw Dust Bin** • **Merville** Three Stage Wood Waste Bagging Machine, Bag Size 25" x 18" x 12", S/N 83649 **SAWS:** **1994 Tyler** Vert. Resaw, #XL 3612R, 2" Blade, 17" Under The Throat, Variable Speed, Pneu. Tensioning, 25 Hp., S/N 3829 • **Hermance** #300G, Gang Rip Saw, 20 Hp., Variable Speed, 230/460 Volt, 3 Phase • **Diehl** #SL-50 Str. Line Rip Saw, S/N 64-M1003-325, 20 Hp., 240/480 Volt, 3 Phase • **Balestrini** Dbl. Sided Profile, Shaper and Sander, #CP6, Table Size 8' 6" Long, 12" Wide, Nine Pneu. Vert. Clamps, 1st. Hd. Hogging 15 Hp., 2nd. Hd. Shape 10 Hp., 3rd. Hd. 6" Sanding Belt, 4 Hp., Hyd. Feed Table, S/N M250-172  
**CLAMPS:** **40 Section**, 6' Wide Taylor Clamp, #800081, 6 Clamp Per Section, Pneu. Flattener, Wrench and Drive, Clamp Size 42" x 4 1/2" x 3 1/4", S/N V-675 • **20 Section**, 8' Wide Taylor Clamp, 6 Clamps Per Section, Pneu. Feed, Clamp Size 32" x 4 1/2" x 2 1/2", S/N 987 • **6 Section** 8' Wide Taylor Clamp, 6 Clamps Per Section, Pneu. Flattener, Wrench and Drive, Clamp Size 36" x 4 3/4" x 2 1/2", S/N V-783 • **SUPPORT EQUIPMENT:** (2) **1999 Ingersoll-Rand** 50 Hp., Rotary Twist Compressors, #SSR-EPESO, Loaded Hours 5,000, S/NCA0795U99125, S/N CA0794099125 & 1999 Ingersoll-Rand Thermal Mass Compressed Air Dryer, #TM400, S/N 99DTM121 • **Ingersoll-Rand** Air Filter #NLM-2, S/N NNB28769 • **1999 Nichols** Dbl. Sided Feed Thru Cut-off and Pocket Boring Machine, Jump Trim, Hopper Feed, S/N 10-405 • **20 Spindle** Alexander Dodds, #SE-20R, Auto. Dovetailer, Digital Readout, S/N D 93038-103 • **15 Spindle** Alexander Dodds, #SE-15, Auto. Dovetailer, S/N D8965-117 • **48" Alexander** Dodds, #C-48J, Assembly Clamp, S/N C96069-247 • **36" Alexander** Dodds, #C-36J, Assembly Clamp, S/N C940009-267 • (2) **Alexander** Dodds, #GP-26E Glue Applicators, S/N GP93099-358, S/N GP93005-333 • **Onsrud** 72" Rotary Profile Shaper, #W-1258, 15 Hp., S/N 5373 • **(16) Southworth** 2,000 Lb. Hyd. Lift Tables, 3' x 5', 1 Phase • **(7) American** 2000 Lb. Hyd. Lift Tables, 3' x 6' • **Yates American** 1 1/4" Dbl. Spindle Shaper, #N-44, S/N 815902 • **36" Tannewitz** Vert. Band Saw, #GH, Tilting Table, 5 Hp., RPM 835 • **14" Delta** Tilting Arbor Table Saw, w/**1995 Doucet**, #STRE-70-36-36-12-78-G Tailboy • **14" Ind.** Up Cut Saw, Right Hand, 5 Hp., 230/460 Volt, 3 Phase • **12" Powermatic** Table Saw, #72, 5 Hp., S/N 872244, w/Holz Her 3 Roll Stock Feeder, 220/440 Volt 3 Phase • **Autool** Profile Grinder, #PR 300, S/N 14172 • **Mattison** Tool Grinder, #237, S/N 22935 • **United** Tool Co., Auto. Knife Grinder, Magnetic Chuck, #300A, S/N 1488 • **Taft-Peirce**


#100 Surface Grinder, Electro Magnetic Chuck • **Autool Router** Bit Grinder, #TCT-18, S/N 10748 • **Foley** Saw Filer, #387 S/N 2449 • **Mattison** 36" Back Knife Turning Lathe, Pneu. Hopper Feed, #66-30, 10 Hp., 220/440 Volt, 3 Phase, S/N 21039 • **Mattison** Back Knife Turning Lathe, #57F, 36" Ext. Table, 15 Hp., 220/440 Volt 3 Phase, S/N 17245 • **Mattison** 36" Back Knife Turning Lathe, #66, Hopper Feed, S/N 22565 • **Mattison** Lathe Set Up Stand • **Nash** #150, Ten Spindle Sanding Machine, Dust Hood Enclosure, 50" Cap., S/N 327060 • **Weather-Rite**, #TOT-230-VTL, Air Make Up, S/N 0990609 • **(4) Weather-Rite** 9' 6" x 8' 6" x 7' 6" Spray Booths, w/2 Lites • **(2) Murphy** Rogers Down Draft Tables, 4' x 6', #DD-4872, S/N 1412, S/N 1336 • **Grizzly** 12" x 36" Wood Turning Lathe, #G1495, 3/4 Hp., 1 Phase • **B.M. Root** 13 Spindle Vert. Borer, Hyd. Table, 10 Hp., S/N 8197 • **Indiana** Foundry Four Head Horiz. Borer, Table Size 12" x 48", Pneu. Clamps • **Diehl** Chair Seat Borer, #TE-20, 9 Top Vert. Boring Spindles, 4 Lower Vert. Boring Spindles, Hyd. Feed, 1 Hp. Boring Hds., 220 Volt, 5 Hp. Hyd. Pumping Unit, S/N 70M-2837-2051 • **Tyler** 80" Double End Mitre Adj. Cut Off Saw, S/N 1119-71 • **JKO** Horiz. Haunching Machine, #HM-4, 5.5 KW, S/N 2651 • **1988 SCMI** Single Sided Edge Bander, #B4L, Sound Enclosure, S/N AN002085, REF#010422 • **1997 Sicotte** 4 Spindle Vert. Borer, #7004, 2-1 Hp. Drill Heads, Table Size 4' x 18", S/N 97-11-170 • **Ritter** Adj. Dbl. Line Borer, #R-46, 23 Spindles Per Line, (2) 3 Hp. Drill Hds., Table Size 48" x 30", S/N 1018 • **1992 Ritter** Adj. Dbl Line Borer, #R-52SP, 2 Rows Of 26 Spindles Each, (4) - 3 Hp. Drill Hds., Table Size 8' x 30", S/N 1166 • **Slate Oak** Conveyor Line, 36" Wide x 155' Long, Electric Eye • **Clark** Electric Lift Truck, #EC500-55F, S/N E355 277 3505FA, Closed Mast 32" x 4 1/2", Max Lift 185", 48" forks, Triple Stage Mast, Side Shift • **Crown** 3500 Lb. Electric Reachable Fork Lift, Side Shift, #RR5000, Triple Stage Mast, 42" Forks, 240" Lift @ 24" load Center, S/N 1A209214 • **Raymond** 3,000 Lb. Electric Lift Truck, # 211R30TT, Closed Mast 94", Max Lift 216", Side Shift, Extendable Forks, 36 Volt, S/N 021D.89.04850 • **Clark** 2,500 Lb. Electric Powerworker, Walk Behind, #ST25B, 106" Max lift, Closed Mast 77", S/N ST245-445-3306 FA-108 • **Yale** 2,500 Lb. Electric Walk Behind Lift Truck, #MCW025LAN12C5072, Closed Mast 72", Max Lift 104", 42" Forks, Two Stage Mast, 12 Volt, S/N N538991 • **Crown** 3,000 Lb. Electric High Lifter, #SP3020-30, 42" Forks, 216" Max Lift, Truck Data #TT24042-424, S/N 1A207961 • **Crown** 3,000 Lb. Electric lift Truck, #SP3020-30 Closed Mast 107", Max Lift 240", 42" Wide, S/N 1A208003 • **Crown** Narrow Aisle Electric Lift Truck, #15SP48TT-S, 84" Forks, Closed Mast 155", Max Lift 360"/930 Lb. Cap., 42" Wide, 24Volt, S/N 1A131629 • **Crown** 1,500 Lb. Narrow Aisle Electric Fork Lift, #15SP48TT-S, Max Lift 300", 72" Fork, S/N H-12726-2 • **Many** Electric Battery Chargers • **JLG Commander** Electric Man Lift, Mdl. CM2546, 750 Lb. Capacity, 46" Wide, 25' Lift, Overall Dimensions 46" Wide, 102" Long, 84" High • **110 Sections** of Pallet Racking 22' x 5', 12' x 5" Cross Beams, 4 Levels High, Metal Grating Floors • **54 Sections** of Pallet Racking, 12' x 44", 6" Cross Beams, 2 Levels High, Metal Grating Floors • **117 Sections** of Pallet Racking, 18' x 28", 5 1/2" Cross Beams, 3 Level High • **11 Executive** Offices • **Solid Oak** Furniture and **Office Equip.** • **Hand Tools** • **MUCH MUCH MORE**

**CERTIFIED INDUSTRIAL AUCTIONEERS, INC.**  
 P.O. BOX 557 • RICHBORO, PA 18954  
 215-322-8707 • FAX 215-860-4727  
 www.industrial-auctioneers.com

**\$3,000,000 Replacement Value**  
**WOODWORKING AUCTION**  
 January 27<sup>TH</sup> 2004 at 10<sup>AM</sup>  
**MASTERCRAFT**  
*All about wood since 1906*  
**CARBONDALE, PENNSYLVANIA**



**MASTERCRAFT**  
 CARBONDALE, PA. PLANT  
 (3) 1997 TORIT  
 60,000 CFM  
 DUST COLLECTORS



**1997, 10' TAYLOR**  
**80 SECTION CLAMP CARRIER**  
 COMPLETELY  
 HYDRAULIC  
 DUAL DRIVE  
 UNITS  
 January 17<sup>TH</sup> 2004 at 10<sup>AM</sup>  
**BAILEY MFG** FRYEBURG, MAINE

**\$4,000,000 Replacement Value**  
**SAW MILL AUCTION**  
 January 17<sup>TH</sup> 2004 at 10<sup>AM</sup>  
**BAILEY MFG**  
 FRYEBURG, MAINE



Visit Our Website For  
**SNOW**  
 Postponement Information  
 www.industrial-auctioneers.com

FIRST CLASS  
 U.S. POSTAGE  
 PAID  
 PERMIT NO. 120  
 LANGHORNE, PA

FIRST CLASS MAIL

PLEASE ROUTE TO MACHINERY BUYER

SAW MILL AUCTION **BAILEY MFG** JAN 17<sup>TH</sup> FRYEBURG, ME



1988 16' Lerco 10 Bin Lumber Sorter, Lumber Stacker, Sticker Placer, PC Control, Width, Length, Grade, Ultra Sonic Thickness



1988 16' Lerco Sticker Placer



1988 PHL Dbl Arbor Gang Rip, #B8-54, Line Bar Infeed Table, Two 150 Hp., S/N S108



1988 PHL Single Arbor Gang Rip Edger Mdl. E6-48-2, 50 Hp., S/N 6102



1988 Newman #KNC-24 Auto. Selective Over Head Trimmer, 8 Saw Motors



1988 McDonough 84", #8A, Twin Cut Band Mill, Right Hand, Air Strain, 200 Hp. Motor with Ramp Up Starter, S/N 84MA-159



Rens Mdl. LS345, 48" Metal Detector



Partial View of Large Quantity of PHL Power Belt Conveyors



(4) 84" Twin Cut, Cut-off Replacement Blades



30" Whitney Dbl Surfacers, #S970, Carbide Spiral Heads, Top 30 Hp., Bottom 20 Hp. Grinding, Jointing Attach., Spprt Horse

WOODWORKING AUCTION **MASTERCRAFT** JAN 27<sup>TH</sup> CARBONDALE, PA



Balestrini Double Sided Profile, Shaper and Sander, Mdl. CP6, S/N M250-172



Ritter Adjustable Double Line Borer R-46, 23 Spindles Per Line, S/N 1018



1992 Ritter Adjustable Double Line Borer, Mdl. R-52SP, S/N 1166



1988 SCMI Single Sided Edge Bander #B4L, S/N AN002085, REF#010422



1999 Nichols Dbl Sided Feed Thru Cut-off Pocket Boring Machine, Jump Trim Hopper Feed, S/N 10-405



6" Diehl Push Feed 5 Head Moulder Variable Speed, w/Joining Attachments Hopper Feed, S/N 78M40553425



20 Spindle Alexander Dodds, Mdl. SE-20R Automatic Dovetailer, Digital Readout S/ND 93038-103



15 Spindle Alexander Dodds, Mdl. SE-15 Automatic Dovetailer, S/N D8965-117



Diehl Mdl. SL-50 Straight Line Rip Saw S/N 64-M1003-325, 20 Hp



16" Woods 5 Head Moulder, Joining Attachments, Spindles 2 1/8" & 1 13/16" Mdl. 134-BM, S/N 53172



Hermance Gang Rip Saw Variable Speed, Mdl. 300G, 20 Hp.



Nash 10 Spindle Sanding Machine Dust Hood Enclosure, 50" Cap. Mdl. 150, S/N 327060

**WOODWORKING AUCTION** **MASTERCRAFT** JAN 27<sup>TH</sup> CARBONDALE, PA



1999 SCMI 10' Dbl Sided Tenoner, Concept 2000, 1<sup>ST</sup> Hd. Jump Scorer, 5<sup>TH</sup> Hd. 2-Spd Sanding, PLC Opening, S/N AA110738



1998 Weinig 6 Hd Unimat U23, 9' x 5' Hyd #M11 Hopper Feed Grooved Bed, S/N 023-3438



1994 Weinig 6 Hd Profimat 23, 9' x 5' Hyd #M11 Hopper Feed Grooved Bed, S/N 711-285



1996 Komo, #VR-108, 4' x 8', 8ATC Vacuum Bed, GE Fanuc Series O-M Control, S/N 1812696



1987 Shoda 4 Hd. #NC516.1016, 39' x 62' Vacuum Bed, 11M Fanuc Control, Hi-Freq Spindles, 8.5 KW Heads, S/N 873601



37' Timesaver Abrasive Top & Bottom Planer, Air Tracking, 100 Hp. #337-HD, S/N 10347



1994 Timesaver 43' Top & Bottom Sanding Line S/N 23708



1994 Timesaver 43' Top & Bottom Sanding Line #243-41 CBT



1994 Tyler Resaw, #XL3612R 2' Blade, 25 Hp., S/N 3829



(3) 1997 Torit Donaldson #RF 60,000 CFM, 250 Hp.



Taylor 6', 40 Section, #800081, Pneu Flattener, Wrench, Drive, S/N V-675



Taylor 8', 20 Section, Pneu Size 32' x 4 1/2' x 2 1/2', S/N 987



Taylor 8', 6 Section, Pneu. Flattener Wrench, Drive, S/N V-783

**SAW MILL AUCTION** **BAILEY MFG** JAN 17<sup>TH</sup> FRYEBURG, ME



Caterpillar Articulating Diesel Front End Loader, Mdl. 950B, w/Log Loading Attachment, Hours on Meter 1,150



John Deere Articulating Diesel Front End Loader, Mdl. 544C



(2) Cat 8,000 Lb. Diesel Fork Lift, #R-80 Pneu Tires, Lift 168", Side Shift, S/N 49A01826, S/N 49A01860



1996 Mack Tandam Axle, 6 Cyl, #CH613 9 Spd Eaton Fuller, Air Ride, 430,000 Miles



1995 Case Uniload, Mdl. 1845C, 4 Cyl. Diesel Engine, Bucket Size 6' x 2'



Bobcat Skid Steer Loader, Mdl. 743, Diesel, S/N 501937784



54' McDonough RH, 7" Blade 18" x 22", 60 Hp., S/N 54-1362



Nordfab Fine Dust Collector #NFK8HJ/1BL, 31,360 SCFM



Merville 3 Station Bagger Bag Size 27' x 18' x 13'



1997 Eurohansa Rotary Waste Grinder #EUR-60, 60 Hp., S/N 76018



1997 Nordfab 30 Hp. 5 Bag After Filter, Rotary Air Lock



1997 10' Taylor 80 Sect, #800181, Hyd Flattener, Wrench, Dual Drive, S/N B197



1997 Taylor 39' Opti-Sizer & Glue Spreader Mdl. 33020, S/N OS225

**AUCTION INSPECTION BAILEY MFG:**  
Friday, January 16<sup>TH</sup> 9<sup>AM</sup> - 3<sup>PM</sup>

**SAW MILL:**

**1988 16' Lerco** 10 Bin Lumber Sorter, with Lumber Stacker and Sticker Placer, Autolog Computer Control, Measures Width, length, Grade w/Ultra Sonic Thickness • **1988 McDonough** 84", Mdl. 8A, Twin Cut Band Mill, Right Hand, Air Strain, 200 Hp. Motor with Ramp Up Starter, S/N 84MA-159 • **1988 Corley** Four Knee 40" x 14' Long Heavy Duty Carriage, with Linear Positioners, Tyrone Cable Feed and Hydraulic cable Tightener, (Feed mdl. SMA 240), 100 Hp. Hydraulic Pumping Unit • **1988 Corley** Hydraulic Log Bar Turner, Mdl. 42B • **1988 PHL** Double Arbor Gang Edge Ripper, Mdl. B8-54", with Line Bar Infeed Table, Two 150 Hp. Arbor Drives, S/N S108 • **1988 PHL** Single Arbor Gang Rip Edger, Mdl. E6-48-2, 50 Hp., 230/460 Volt, S/N 6102 • **1988 Newman** Mdl. KNC-24 Automatic Selective Over Head Trimmer, 8 Saw Motors • **Morbark** Mdl. 640 Log Debarker, with Rens Mdl. LS345, 48" Metal Detector, Rens L240 Inline Metal Detector • **Precision** 58" True Slice 3 Knife Chipper, 150 Hp., Chipper Size 58/15, 720 RPM with Precision Screen Shaker 6' x 6', S/N S1614, Phelps Exhaust Blower 36" x 12", 30 Hp., S/N 107569 • **Cornell** Bark and Saw Dust Conveyors, 5 Hp. • **Newman** Knife Grinder, Mdl. G 200 • **(2) PHL** 4 Strand Log Decks 12' x 28' Long **PHL** 54" x 64' power Belt Conveyor • **PHL** 16" x 44' Long Belt Conveyor • **PHL** 9" x 20' 6 Roll Power Conveyor • **PHL** 24" x 22' Power belt Conveyor • **PHL** 36" x 45' Power Conveyor • **Webster** 24" Vibrating Conveyors, Mdl. P8000, 19' - 65' - 65' • **Webster** P5000 Vibrating Conveyors 24" x 30', • **Webster** Mdl. FSM 18" x 24" x 19', S/N 88216281/4

**DIMENSION MILL:** • **1997 10' Taylor** 80 Section Clamp Carrie, Mdl. 800181, Hydraulic Panel Flattener, Wrench and Dual Drive, 8 Clamps Per Section, Clamp Size 36" x 2 1/2" x 4 3/4", S/N B197 • **1997 Taylor** 39" Opti-Sizer, Mdl. 33020, S/N 0S225 • **1997 Taylor** Glue Spreader, S/N GA1107 • **54" McDonoug** Right Hand Resaw, 7" Blade, Center Cut, Capacity 18" x 22", 60 Hp., S/N 54-1362 • **(5) Diehl** Mdl. SL-52 Straight Line Rip Saws, S/N 688M52064622 • 688M52044620 • 67M17801126 • 76M38013116 • 76M38023117 • **30" Whitney** Double Surfacers, Mdl. S970, Carbide Spiral Heads, Top Head 30 Hp., Bottom Head 20 Hp., Sectional feed Rollers, Grinding and Jointing Attachments, Support Horse • **Oliver Optimizer** Cut Off saw, Mdl. 2694, S/N 207523 • **Hamy** CNC Optimzer Cut Off Saw • **(3) Diehl** Mdl. 750 Straight Line Rip Saws • **(3) Diehl** Mdl. 55 Straight Line Rip Saws • **(2) Ekstrom** Carlson Straight Line Rip Saws, Mdl. EE • **(12) Left** Hand Industrial Up Cut Saws with Infeed Support Tables and Adjustable Stop Fence • **(11) American** 32" x 96" 4,000 Lb. Hydraulic Lift Tables, Mdl. M1202-3AA • **Nordfab** Central Dust Collector For Fine Wood Dust, Filter

Type NFK 8HJ / 1BL, 31,360 SCFM, Continuous Cleaning, Filter Must Go Thru Cleaning Cycle Every 8 Hours • **1997 Nordfab** 30 Hp. Central Dust Collector with Five Bag After Filter, Rotary Air Lock • **1997 Eurohansa** Rotary Waste Grinder, Mdl. EUR-60, 60 Hp., 60" x 60" Opening, S/N 76018  
**Merville** Three Station Saw Dust Bagger, Bag Size 3.4 Cu. Ft. - Loose 7.9 Cu. Ft., Bag Size 27" x 18" x 13" • **Montgomery** 50 Hp., Hammer Hog, Opening Size 14" x 12", S/N 1024 • **Normet** 25 Hp., Chipper, Mdl. GH1500EM, Opening Size 21" x 23" • **Doucet** Tailboy Return, Mdl. TRF-C-7-C, S/N 97-04-250 • **8' Lancaster** Panel Clamp Rack, 18 Clamps, Clamp Size 38 1/2" x 4 3/4" x 2 1/2" • **Ingersoll-Rand** 10 Hp., Mdl. T-30, Horizontal Tank Mounted Compressor • **Ingersoll-Rand** 25 Hp. Horizontal Tank Mounted Compressor • **Zurr** Air Dryer, Mdl. R15A, S/N R13842

**LOADERS & FORKLIFTS:**

**Bobcat** Skid Steer Loader, Mdl. 743, Diesel, S/N 501937784 • **1995 Case** Uniload, Mdl. 1845C, Four Cylinder Diesel Engine, Bucket Size 6' x 2' • **John Deere** Mdl. AMT 600 Gator, Four Wheel Drive, Dump Bed, Gasoline Fuel • **(2) Caterpillar** 8,000 Lb. Diesel Fork Lift Trucks, Mdl. R-80, Pneumatic Tires, Max Lift 168", Enclosed Cabs, Side Shift, S/N 49A01826, S/N 49A01860 • **Caterpillar** 10,000 Lb. Mdl. R8010K Diesel Pneumatic Tire Fork Lift Truck, Enclosed Cab, Max lift 124", Side Shift • **Caterpillar** Articulating Diesel Front End Loader, Mdl. 950B, w/Log Loading Attachment, Hours on Meter 1,150 • **John Deere** Articulating Diesel Front End Loader, Mdl. 544C  
**Clark Michigan** Diesel Front End Loader, Mdl. 55 • **1996 Mack** Tandam Axle Conventional Six Cylinder Diesel Tractor, Mdl. CH613, Nine Speed Eaton Fuller Transission, Air Ride Suspension, 430,000 Miles • **1975 White** Road Boss Conventional Tandam Axle Diesel Tractor, Mdl. RBM64T-06 • **Clark** Propane Cushion Tire Fork Lift Truck, Mdl. GCS175, Max Lift 110", Side Shift, S/N 612702416790FA • **Clark** Electric Fork Lift Truck, Mdl. TW40B, Cushion Tire, S/N TW2351143-23

**SUPPORT EQUIPMENT:**

Large Amount of Power Roller Conveyor and Power Belt Conveyor, **Hytrol**, **Buss** Automation • **Wright** Machine Tool Saw Blade Grinder, 120 Volt, Single Phase • **Armstrong** Saw Blade Grinder, Single Phase • **Wright** Mdl. 350 Auto-Dial Blade Grinder • **McDonough** Blade Grinder, S/N BDM-399 • **Armstrong** Bandsaw Sharpener, Mdl. 2LH, S/N TO29 • **Armstrong** Filing Clamp, Mdl. 58 • **Hanehett** Bandsaw Blade Stretcher, Type 14", Size 109, S/N 1206 • **Armstrong** Sletcher Roll Mdl. 5, S/N 15626 • **15" Cincinnati** HydraShift Engine Lathe, 15, x 36" • **20" Walker** Turner Floor Model Drill press • **12" Powermatic** Mdl. 70 Table Saw • **Jet** Drilling and Milling Machine, Table Size 9 3/8" x 23 1/2" • **(2) Oxygen** and Acetylene Cutting Outfits • **14" Powermatic** Mdl. 141

Vertical Bandsaw • **Hundreds** of Metal Kiln Carts • **(2) Lincoln** AC/DC 225 Amp Arc Welders • **Napa** 2,000 Lb. Pneumatic Truck Lift • **Hydraulic** H-Frame Adjustable Press • **17" Obit** Mdl. OR-1558F, Floor Mdl. Drill Press • **(2) Two** Ton Hyd. Floor Jacks • **(2) Two** Ton Hydraulic Engine Hoists • **(2) Craftsman** Tool Chest • **3/4"** Socket Set • **Ingersoll-Rand** 1" Pneumatic Impact Wrench • **Chain** Come Alongs • **Hyd.** Bottle Jacks • **Dayton** Mdl. 32634A Battery Tester • **Jenny** Steam Cleaner • **Noma** Canadian 24" Snow Blower, 8 Hp., Six Speed • **Large** Quantity of Electric Motors To 150 Hp. • **MUCH MUCH MORE!!**

**TRAVEL DIRECTIONS BAILEY MFG:**

95 N to towards N.H./Maine, Exit Towards N.H. Lakes / White Mts / Spaulding Turnpike Rt 4, Turns into NH-16 N, Proceed Straight onto E. Main Street / NH-113 into Fryeburg, Turn Right onto Portland St at Traffic Light, Go Approx. 2 Miles, Turn Right on Porter Rd. Plant Located on Left about 1/2 Mile. Bailey Mfg, Porter Rd. Fryeburg, ME, **Watch For Signs!**

**AUCTION INSPECTION BAILEY MFG:**

Friday, January 16<sup>TH</sup> 9<sup>AM</sup> - 3<sup>PM</sup>

**HOTELS - CONWAY N.H.:**

**Holiday Inn Express** - (603) 356-2551  
**Comfort Inn** - (603) 356-8811

**TRAVEL DIRECTIONS MASTERCRAFT:**

I-81N to Robert P. Casey Highway, Rt 6 East, Carbondale to Exit 6, Meredith St. Turn Left off Exit To Traffic Light, Turn Right onto Business 6 East. Go Past Carbondale Area High School And Burger King On The Left. Cross Over Railroad Tracks And Turn Left At Turkey Hill Onto River Street. Go To Enterprise And Turn Right. Plant Is About 1/2 Mile On The Left. MasterCraft 100 Enterprise Drive, Carbondale, PA, **Watch For Signs!**

**AUCTION INSPECTION MASTERCRAFT:**

Monday, January 26<sup>TH</sup> 9<sup>AM</sup> - 3<sup>PM</sup>

**HOTELS - SCRANTON, PA:**

**Fairfield Inn** - (570) 346-3222  
**Residence Inn** - (570) 343-5121

**TERMS OF SALE:**

A **10% buyer's premium** applies to the purchase price of each item. A 25% deposit will be required at knockdown on each lot. Cash or certified funds required in full at the time and place of auction. **Credit Cards Not Accepted.** Non-certified checks will NOT be accepted unless accompanied by a valid bank letter of guarantee, which must be in the following format: (Name of Bank) guarantees payment to Certified Industrial Auctioneers, Inc. from (name of customer) on account # \_\_\_\_\_ up to the amount of \$ \_\_\_\_\_. This letter is valid for purchases at the auction of **MasterCraft** on Jan 27<sup>TH</sup> or **Bailey Mfg** on Jan 17<sup>TH</sup>, PA.LIC# AY-077-L

In Conjunction with William Pelletier Jr.  
ME Lic. #AR1382

More Details & Photo's Available At [WWW.INDUSTRIAL-AUCTIONEERS.COM](http://WWW.INDUSTRIAL-AUCTIONEERS.COM)



8' Merein Johnson #840  
Dbl Sided Tenoner, Jump Trim  
Jump Cope S/N MJ 4128



(3) 6' Challoner Double Sided Tenoner  
Model C527-T, Jump Dado  
S/N 412700, S/N 405540, S/N 405550



24" Ekstrom Carlson Router  
Mdl. 327, S/N 7044



36" Onsrud Over Head Router  
Mdl. 1136, S/N 787324-01



Mattison Mdl. 57F Back Knife Wood  
Turning Lathe, w/Extension Table



(2) 1999 Ingersoll-Rand Mdl. SSR-EPESO  
50 Hp. Rotary Twist Compressor



Clark Electric Lift Truck, #EC500-55F  
S/N E355 277 3505FA, Closed Mast  
82", Max Lift 185", 48" Forks



Clark 2,500 Lb. Electric Powerworker #ST25B  
Lift 106", S/N ST245-445-3306 FA-108



Yale 2,500 Lb. Electric Walk Behind Closed  
Mast 72", Max Lift 104", 42" S/N N538991

JLG Commander Electric Man Lift,  
Mdl. CM2546, 750 Lb. Capacity, 46"  
Wide, 25' Lift, Overall Dimensions 46"  
Wide, 102" Long, 84" High



Crown Narrow Isle  
Electric Lift Truck



Raymond 3,000 Lb., Side  
Shift, Extendable  
S/N 021D.89.04850



Crown 3500 Lb. Reachable  
Side Shift S/N 1A209214



Partial View of Large Assortment of  
24 Volt & 36 Volt  
Batteries & Chargers